



DIRECT THERMAL RECEIPT PRINTER-260MM/S SPEED

U57-CP-306



Main features:

- Fast printing of text and images
- Long lasting auto-cutter up to 1.5million cuts
- Friendly utilities,virtual usb or usb hid setting by utilities
- Support 8 kinds of different paper width(Option)
- Support wall mounting

Model		U57-CP-306
Printing	Print Method	Direct Thermal
	Print Speed	260mm/s
	Resolution	576dots/line or 572dots/line
	Printing Width	72mm
	Paper separator(option)	48mm/52mm/56mm/64mm/68mm/76mm/80mm
	Interface	RS232C+USB+Lan/ RS232C+USB+Lan+Bluetooth/ RS232C+USB+Lan+WiFi
Kitchen function	Power,Paper,Erro	Support
	LED light with beeper	Without
	Hanging device	Equipped
Memory	Input buffer	256kbytes
	NV Flash	256kbytes
Fonts	Font A	12x24
	Font B	9x17
Fonts	Chinese	GB18030,BIG5 24x24dots
	Japanese/Korea	Support
	User-defined	Support
Barcode	1D	UPC-A/UPC-E/JAN13 (EAN13) /JAN8 (EAN8) /CODE39/ITF/CODABAR/CODE93/CODE128
	2D	QR code
Detection	Sensors	Paper out, paper near end, cover open, cutter jam,paper jam and black mark detection(Optional)
Power Supply	Input	AC 100V-240V 50/60HZ
	Output	DC 24V/2.5A
Paper	Paper Type	Thermal Receipt Paper
	Paper Width	48mm/52mm/56mm/64mm/68mm/76mm/80mm
	Paper Thickness	0.06~0.08mm

	Roll Dia	Max. Ø 83 mm		
	Paper Load	Easy paper loading		
	Paper Cut	Manual tear or Auto-cutter(Full-cut or Partial-cut)		
Physical Characteristics	Working Condition	0 °C~45 °C, 10%~80%RH		
	Storage Condition	-10 °C-60 °C,10%~90%RH		
	Dimensions	191(D)x146(W)x12.9(H)mm		
	Net weight	1.94kg	Gross weight	2.14kg
Reliability	MCBF	60,000,000 lines		
	Printing head	150KM		
	cutter	1.5million		
Accessories		data cable,power adaptor,power code,paper roller,CD>manual,paper separator(option)		
Packing	Individual box	Dimension 26X21X17cm(LXWXH)	1unit/carton	
	Master carton	Dimension 64X28X36cm(LXWXH)	6units/carton	
OS	Emulation	ESC/POS		
	Driver	Windows XP /Vista/ Win7/Win8 /Win10/Win 2000/Win CE/OPOS/JPOS		
	SDK	Android, IOS		

